

Bibliography

- [1] Abenda, S. and Fedorov, Yu.: On the weak Kowalewski-Painlevé Property for hyperelliptically separable systems, *Acta Appl. Math.*, 60, 137-178 (2000).
- [2] Abraham, A. and Marsden, J.E.: Foundations of mechanics. Benjamin/Cummings Publishing Co. Inc. Advanced Book Program, Reading, Mass., 1978. Second edition, revised and enlarged, With the assistance of T. Ratiu and R. Cushman.
- [3] Adams, M., Harnad, J. and Previato, E.: Isospectral Hamiltonian flows in finite and infinite dimensions. I. Generalized Moser systems and moment maps into loop algebras, *Comm. Math. Phys.*, 117(3):451-500 (1988).
- [4] Adams, M., Harnad, J. and Hurtubise, J.: Isospectral Hamiltonian flows in finite and infinite dimensions. II. Integration of flows, *Comm. Math. Phys.*, 134(3):555-585 (1990).
- [5] Adams, M., Harnad, J. and Hurtubise, J.: Darboux coordinates and Liouville-Arnol'd integration in loop algebras, *Comm. Math. Phys.*, 155(2):385-413 (1993).
- [6] Adler, M.: On a trace functional for formal pseudo differential operators and the symplectic structure of the Korteweg-de Vries type equations, *Invent. Math.*, 50(3):219-248 (1979).
- [7] Adler, M., van Moerbeke, P.: Completely Integrable Systems, Euclidean Lie Algebras, and Curves. *Adv. in Math.*, 38, 267-379 (1980)
- [8] Adler, M., van Moerbeke, P.: Linearization of Hamiltonian systems, Jacobi varieties and representation theory, *Adv. in Math.*, 38, 318-379 (1980).

- [9] Adler, M. and van Moerbeke, P.: The algebraic complete integrability of geodesic flow on $SO(4)$, *Invent. Math.*, 67, 297-331 (1982) with an appendix by D. Mumford.
- [10] Adler, M. and van Moerbeke, P.: Kowalewski's asymptotic method, Kac-Moody lie algebras and regularization. *Comm. Math. Phys.*, 83(1), 83-106 (1982).
- [11] Adler, M., van Moerbeke, P.: Geodesic flow on $SO(4)$ and the intersection of quadrics, *Proc. Nat. Acad. Sci. U.S.A.*, 81, 4613-4616 (1984).
- [12] Adler, M. and van Moerbeke, P.: Algebraic completely integrable systems : a systematic approach, I, II, III. *Séminaire de Mathématique*, Rapport No 110, p.1-145, SC/MAPA - Institut de mathématique pure et appliquée, UCL, 1985.
- [13] Adler, M., van Moerbeke, P.: The Intersection of Four Quadrics in \mathbb{P}^6 , Abelian Surfaces and their Moduli, *Math. Ann.*, 279, 25-85 (1987).
- [14] Adler, M. and van Moerbeke, P.: The Kowalewski and Hénon-Heiles motions as Manakov geodesic flows on $SO(4)$ - a two-dimensional family of Lax pairs, *Comm.Math.Phys.*, 113 (4):659-700 (1988).
- [15] Adler, M. and van Moerbeke, P.: The complex geometry of the Kowalewski-Painlevé analysis, *Invent. Math.*, 97, 3-51 (1989).
- [16] Adler, M. and van Moerbeke, P.: The Toda lattice, Dynkin diagrams, singularities and abelian varieties, *Invent. Math.*, 103(2):223-278 (1991).
- [17] Adler, M., van Moerbeke, P. and Vanhaecke, P.: Algebraic integrability, Painlevé geometry and Lie algebras. A series of modern surveys in mathematics, Volume 47, Springer-Verlag, 2004.
- [18] Airault. H., Mc Kean, H.P. and Moser, J.: Rational and elliptic solutions of the KdV equation and a related many-body problem, *Comm. Pure Appl. Math.*, 30, 94-148 (1977).

- [19] Ankiewicz, A. and Pask, C.: The complete Whittaker theorem for two-dimensional integrable systems and its application, *J. Phys. A : Math. Gen.*, 16: 4203-4208 (1983).
- [20] Appel'rot, G.: The problem of motion of a rigid body about a fixed point, *Uchenye Zap. Mosk. Univ. Otdel. Fiz. Mat. Nauk*, Vol.11, No.3, 1-112 (1894).
- [21] Arbarello, E., Cornalba, M., Griffiths, P., and Harris, J.: Geometry of algebraic curves, I. Grundlehren der mathematischen Wissenschaften, 267, Springer-Verlag, New York, 1985.
- [22] Armitage, J. V. and Eberlein, W. F.: Elliptic Functions. London Mathematical Society Student Texts, Vol. 67, Cambridge University Press, Cambridge, 2006.
- [23] Arnold, V.I.: Mathematical methods in classical mechanics. Springer-Verlag, Berlin-Heidelberg- New York, 1978, 2nd edn., Graduate Texts in Mathematics, Vol. 60, Springer-Verlag, New York, 1989.
- [24] Arnold, V.I.: Geometrical methods in the theory of ordinary differential equations. Springer-Verlag, 1988.
- [25] Arnold, V.I., Givental, A.B. : Symplectic geometry, Dynamical systems IV. V.I. Arnold and S.P. Novikov, eds., Springer, 1990.
- [26] Babelon, O., Bernard, D. and Talon, M.: Introduction to classical integrable systems. Cambridge Monographs on Mathematical Physics. Cambridge University Press, Cambridge, 2003.
- [27] Baker, S., Enolskii, V.Z. and Fordy, A.P.: Integrable quartic potentials and coupled KdV equations, *Phys. Lett.*, 201A, 167-174 (1995).
- [28] Barth, W.: Abelian surfaces with $(1, 2)$ -polarization, Conf. on alg. geom., Sendai, 1985, *Advanced studies in pure mathematics*, 10, 41-84 (1987).
- [29] Barth, W.: Affine parts of Abelian surfaces as complete intersections of four quadrics, *Math. Ann.*, 278, 117-131 (1987).

- [30] Beauville, A.: Jacobiennes des courbes spectrales et systèmes Hamiltoniens ‘ complètement intégrables, *Acta Math.*, 164, 211-235 (1990).
- [31] Bechlivanidis, C. and van Moerbeke, P. : The Goryachev-Chaplygin top and the Toda lattice, *Comm. Math. Phys.*, 110(2), 317-324 (1987).
- [32] Belokolos, A.I. and Enol’skii, V.Z.: Isospectral deformations of elliptic potentials, *Russ. Math. Surveys*, 44, 155-156 (1989).
- [33] Belokolos, A.I., Bobenko, V.Z., Enol’skii, V.Z., Its, A.R. and Matveev, V.B.: *Algebro-Geometric approach to nonlinear integrable equations*. Springer-Verlag 1994.
- [34] Berry, M. L.: Regular and Irregular Motions. Topics in Nonlinear Dynamics, S. Jorna (ed.), 16-120, *Am. Inst. Phys*, New York 1978.
- [35] Birkenhake, CH. and Lange, H.: *Complex abelian varieties*. Springer-Verlag, 1992.
- [36] Bobylev, D.: On a certain particular solution of the differential equations of rotation of a heavy rigid body about a fixed point, *Trudy Otdel. Fiz. Nauk Obsc. Estestvozn.*, Vol.8, 21-25 (1896).
- [37] Bogoyavlensky, O.I.: On perturbations of the periodic Toda lattice, *Commun. Math. Phys.*, 51(3), 201-209 (1976)
- [38] Bountis, T., Segur, H. and Vivaldi, F.: Integrable Hamiltonian systems and the Painlevé property, *Phys. Rev. A* 25, 1257-1264 (1982).
- [39] Boussinesq, J.: Essai sur la théorie des eaux courantes, Mémoires présentés par divers savants, *Acad. des Sci. Inst. Nat. France*, XXIII, pp. 1-680 (1877)
- [40] Buys, M.: The Kowalewski top. Courant Institute, PhD thesis, 1982.
- [41] Chaplygin, S.A.: A new case of rotation of a rigid body, supported at one point. Collected works, I , Gostekhizdat, (in Russian), 118-124, 1948.
- [42] Cherednick, I.V.: Differential equations for the Baker-Akhiezer functions of algebraic curves, *Funct. Anal. Appl.*, 12, 45-54 (1978).

- [43] Chow, W.L.: On compact complex analytic varieties, *Amer. J. of Math.*, 71, 893-914 (1949).
- [44] Christiansen, P.L., Eilbeck, J.C., Enolskii, V.Z. and Kostov, N.A.: Quasi-periodic solutions of the coupled nonlinear Schrödinger equations, *Proc. R. Soc. Lond. A* 451, 685-700 (1995).
- [45] Clebsch, A.: Der Bewegung eines starren Körpers in einen Flüssigkeit, *Math. Ann.* 3, 238-268 (1871).
- [46] Conte, R. Musette, M. and Verhoeven, C.: Completeness of the cubic and quartic Hénon-Heiles Hamiltonians, *Theor. Math. Phys.*, 144, 888-898 (2005).
- [47] Date, E. Jimbo, M. Kashiwara, M. and Miwa, T.: Transformation groups for soliton equations, Proc. RIMS Symp. Nonlinear integrable systems (Kyoto, 1981). Classical and quantum theory, pp. 39-119. Singapore, World Scientific, 1983.
- [48] Deift P., Lund F. and Trubowitz, E.: Nonlinear Wave Equations and Constrained Harmonic Motion, *Comm. Math. Phys.*, 74, 141-188 (1980).
- [49] Dikii L. A.: Hamiltonian System Connected with the Rotation Group, *Funct. Anal. Appl.*, 6, 326-377 (1972).
- [50] Dickey, L.: Soliton equations and integrable systems. World Scientific, 1991.
- [51] Dickey, L.: Additional symmetries of KP, Grassmannian and the string equation, *Mod. Phys. Lett. A* 8, 1259-1272 (1993).
- [52] Dickey, L.: Lectures on classical W-algebras (Cortona Lectures), *Acta Appl. Math.*, 47, 243-321 (1997).
- [53] Dubrovin, B.A.: Theta functions and non-linear equations, *Russian Math. Surv.*, 36, 2, 11-92 (1981).
- [54] Dubrovin, B.A. and Novikov, S.P.: Periodic and conditionally periodic analogues of multi-soliton solutions of the Korteweg-de Vries equation, *Soviet Physics JETP*, 40, 1058-1063 (1974).

- [55] Dubrovin, B.A., Novikov, S.P. and Fomenko, A.T.: Modern geometry. Methods and applications. Parts I, II, III. Springer-Verlag, 1984, 1985, 1990.
- [56] Eilbeck, J.C., Enolskii, V.Z., Kuznetsov, V.B. and Leykin, D.V.: Linear r-matrix algebra for systems separable in parabolic coordinates, *Phys. Lett.*, 180A, 208-214 (1993).
- [57] Eilbeck, J.C., Enolskii, V.Z., Kuznetsov, V.B. and Tsiganov, A.V.: Linear r-matrix algebra for classical separable systems, *J. Phys. A.: Math. Gen.*, 27, 567-578 (1994).
- [58] Eilbeck, J.C., Enolskii, V.Z. : Elliptic solutions and blow-up in an integrable Hénon-Heiles system, *Proc. Roy. Soc. Edinburgh, Sect. A*, 124, 1151-1164 (1994).
- [59] Euler, L.: Mémoires Acad. Sc, Berlin, 1758. Theoria motus corporum solidorum seu rigidorum, Rostock, 1765.
- [60] Faddeev, L. and Zakharov, V.E.: Korteweg-de Vries equation : A completely integrable Hamiltonian system, *Funktl. Anal. Pril.*, 5, 280-287 (1971).
- [61] Farkas, H. and Kra, I.: Riemann Surfaces. Graduate Texts in Mathematics 71. Springer-Verlag, New York, 1992.
- [62] Fay, J.: Theta functions on Riemann surfaces. Lecture notes in mathematics, Vol. 352, Springer-Verlag, 1973.
- [63] Flaschka, H.: The Toda lattice. I. Existence of integrals, *Phys. Rev. B* 3, 9, 1924-1925 (1974).
- [64] Fordy, A.P.: The Hénon-Heiles system revisited, *Physica*, 52D, 201-210 (1991).
- [65] Forster, O.: Lectures on Riemann surfaces. Graduate Texts in Mathematics 81. Springer-Verlag, New York, 1981.
- [66] François, J.-P.: Integrability of quasi-homogeneous vector fields. Unpublished preprint.

- [67] Gardner, C.S., Greene, J.M., Kruskal, M.D. and Miura, R.M.: Method for solving the Korteweg-de Vries equation, *Phys. Rev. Lett.*, 19, 1095-1097 (1967).
- [68] Gardner, C.S.: Korteweg-de Vries equation and generalizations IV, The Korteweg-de Vries equation as a Hamiltonian system, *J. Math. Phys.*, 12 1548-1551 (1971).
- [69] Gardner, C.S., Greene, J.M., Kruskal, M.D. and Miura, R.M.: Korteweg-de Vries equation and generalizations VI, Methods for exact solutions, *Comm. Pure Appl. Math.*, 27, 97-133 (1974).
- [70] Garnier, R.: Sur une classe de systèmes différentiels abéliens déduits de la théorie des équations linéaires, *Ren. Circ. Math. Palermo*, 43(4), 155-191 (1919).
- [71] Gavrilov, L., Ouazzani-Jamil, M. et Caboz, R. : Bifurcations des tores de Liouville du potentiel de Kolossoff $U = \rho + \frac{1}{\rho} - k \cos \varphi$, *C. R. Acad. Sc. Paris*, 315(I): 289-294 (1992).
- [72] Gavrilov, L. and Angel Zhivkov, A.: The complex geometry of the Lagrange top, *Enseign. Math.*, 44, 133-170 (1998)
- [73] Gel'fand, I. M. and Levitan, B. M.: On the determination of a differential equation from its spectral function, *Amer. Math. Soc. Transl.*, 2, 1, 253-304 (1955).
- [74] Gel'fand, I. M. and Dickey, L.: Family of Hamiltonian structures connected with integrable nonlinear differential equations, *Funct. Anal. Appl.*, 2, 92-93 (1968).
- [75] Gervais, J.-L.: Infinite family of polynomial functions of the Virasoro generators with vanishing Poisson bracket, *Phys. Lett. B.* 160(4-5), 277-278 (1985).
- [76] Goldstein, H.: Classical Mechanics. Addison-Wesley, Cambridge, MA, 1950.
- [77] Golubev, V.V.: Lektsii po integrirovaniyu uravnenii dvizheniya tyazhelogo tverdogo tela okolo nepodvizhnoi tochki (Lectures on the integration of equations of motion of a heavy solid about a fixed point). Gostekhizdat, Moscow, 1953.

- [78] Goryachev, D. : On the motion of a rigid material body about a fixed point in the case $A=B=4C$, *Mat. Sb.*, 21(3) (1900).
- [79] Grammaticos, B. Dorozzi, B., Ramani, A.: Integrability of Hamiltonians with third and fourth-degree polynomial potentials, *J. Math. Phys.*, 24, 2289-2295 (1983).
- [80] Griffiths, P.A., Harris, J.: Principles of algebraic geometry. Wiley-Interscience, New-York, 1978.
- [81] Griffiths, P.A.: Linearizing flows and a cohomological interpretation of Lax equations, *Amer. J. Math.*, 107, 1445-1483 (1985).
- [82] Guillemin, V., Sternberg, S.: Symplectic techniques in Physics. Cambridge University press, 1984.
- [83] Haine, L.: Geodesic flow on $SO(4)$ and Abelian surfaces, *Math. Ann.*, 263, 435-472 (1983).
- [84] Haine, L.: The algebraic complete integrability of geodesic flow on $SO(N)$ and Abelian surfaces, *Comm. Math. Phys.*, 94(2), 271-287 (1984).
- [85] Halphen, G. H. : Mémoire sur la réduction des équations différentielles linéaires aux formes intégrales, Mémoires présentés par divers savants à l'Académie des sciences de l'Institut de France 28, 1-307, 1884.
- [86] Halphen, G.-H. : Traité des fonctions elliptiques et de leurs applications. Gauthier-Villars, Paris, 1888.
- [87] Hamilton, W. R. : The Mathematical Papers of William Rowan Hamilton, Vol. I, Geometrical Optics, Vol.II, Dynamics (Cambridge University Press, Cambridge, 1931), especially three Supplements (1830-1832) to the "Theory of Systems of Rays" (1827) in Vol.I, and "On a General Method in Dynamics" (1832) in Vol.II.
- [88] R. Hartshorne. Algebraic geometry. Springer-Verlag, 1977.
- [89] Helgason, S.: Differential geometry, Lie groups, and symmetric spaces. volume 34 of Graduate Studies in Mathematics, American Mathematical Society, Providence, RI, 2001. Corrected reprint of the 1978 original.

- [90] Hénon, M. and Heiles, C.: The applicability of the third integral of motion; some numerical experiments, *Astron. J.*, 69, 73-79 (1964).
- [91] Hess, W.: Über die Euler'schen Bewegungsgleichungen und über eine neue Methode zur Lösung des Problems der Bewegung eines starren Körpers um einen festen Punkt, *Math. Ann.*, 37(2) (1890).
- [92] Hietarinta, J.: Classical versus quantum integrability, *J. Math. Phys.*, 25, 1833-1840 (1984).
- [93] Hietarinta, J.: Direct methods for the search of the second invariant, *Phys. Rep.*, 147, 87-154 (1987).
- [94] Hille, E.: Ordinary differential equations in the complex domain, Wiley-Interscience, New-York, 1976.
- [95] Hitchin, N. J.: On the construction of monopoles, *Comm. Math. Phys.*, 89(2), 145-190 (1983).
- [96] Holmes, P. J. and Marsden, J. E.: Horseshoes and Arnold diffusion for Hamiltonian systems on Lie Groups, *Indiana Univ. Math. J.*, 32, 273-310 (1983).
- [97] Humphreys, J. : Introduction to Lie Algebras and Representation Theory. Second printing revised, Springer-Verlag, Berlin Heidelberg, 1978.
- [98] Husson, E.: Recherche des intégrales algébriques dans le mouvement d'un solide pesant autour d'un point fixe, *Ann. Fac. Sc. Univ. Toulouse*, 8, Ser. 2, t. VIII, 73-152 (1906).
- [99] Huybrechts, D.: Complex geometry. Springer-Verlag, Berlin Heidelberg, 2005.
- [100] Igusa, J.-I. : Theta-functions. Springer Berlin Heidelberg, 1972.
- [101] Its, A.R. and Matveev, V.B.: The periodic Korteweg-de Vries equation, *Funk. Anal. Priloz.*, 9, 41-52 (1975).
- [102] Iyer, J.N. : Projective normality of abelian surfaces given by primitive bundles, *Manuscr. Math.*, 98, 139-153 (1999).

- [103] Jacobi, C.G.J.: Sur la rotation d'un corps, *J. Reine Angew. Math.*, 39, 293-350 (1850).
- [104] Jacobi, C.G.J. : Vorlesungen über Dynamik, Königsberg lectures of 1842-1843, (reprinted by Chelsea Publishing Co., New York, 1969).
- [105] Jost, J.: Compact Riemann surfaces. An introduction to contemporary mathematics. Springer-Verlag, Berlin Heidelberg, 2006.
- [106] Kac, M. and van Moerbeke, P.: On an explicitly soluble system of nonlinear differential equations related to certain Toda lattices, *Adv. in Math.*, 16, 160-169 (1975).
- [107] Kadomtsev, B.B. and Petviashvili, V.I.: On the Stability of Solitary Waves in Weakly Dispersing Media, *Sov. Phys. Dokl.*, 15(6), 539-541 (1970).
- [108] Kasperczuk, S.: Integrability of the Yang-Mills Hamiltonian system, *Celes. Mech. and Dyn. Astr.*, 58, 387-391 (1994). Erratum *Celes. Mech. and Dyn. Astr.*, 60, 289 (1994).
- [109] Kirchoff, G.: Vorlesungen über Mathematische Physik, Vol. 1, Mechanik. Teubner, Leipzig, 1876.
- [110] Knörrer, H.: Geodesics on the ellipsoïd, *Invent. Math.*, 59, 119-143 (1980).
- [111] Knörrer, H.: Geodesics on quadrics and a mechanical problem of C. Neumann, *J. Reine Angew. Math.*, 334, 69-78 (1982).
- [112] Knörrer, H.: Integrable Hamiltonsche Systeme und algebraische Geometrie, *Jahresber. Deutsch. Math.- Verein.*, 88(2), 82-103 (1986).
- [113] Kodaira, K.: On Kähler varieties of restricted type (an intrinsic characterisation of algebraic varieties), *Ann. Math.*, 60, 28-48 (1954).
- [114] Koizumi, S.: Theta relations and projective normality of abelian varieties, *Am. J. Math.*, 98, 865-889 (1976).
- [115] Kolossoff, G.: Zur Rotation eines Körpers im Kowalewski'schen Falle, *Mathematische Annalen*, Vol. 56, 265-272 (1903).

- [116] Korteweg, D.J. and de Vries, G.: On the change of form of long waves advancing in a rectangular canal and on a new type of long stationary waves, *Phil. Mag.*, 39, 422-443 (1895).
- [117] Kostant, B.: The solution to a generalized Toda lattice and representation theory, *Adv. Math.*, 34(3), 195-338 (1979).
- [118] Kostov, N.A.: Quasi-periodical solutions of the integrable dynamical systems related to Hill's equation, *Lett. Math. Phys.*, 17, 95-104 (1989).
- [119] Kötter, F.: Über die Bewegung eines festen Körpers in einer Flüssigkeit I, II, *J. Reine Angew. Math.*, 109, 51-81, 89-111 (1892).
- [120] Kötter, F.: Die von Steklow und Lyapunov entdeckten integralen Fälle der Bewegung eines Körpers in einer Flüssigkeit Sitzungsber, *König. Preuss. Akad. Wiss.*, Berlin 6, 79-87 (1900).
- [121] Kowalewski, S.: Sur le problème de la rotation d'un corps solide autour d'un point fixe, *Acta Math.*, 12, 177-232 (1889).
- [122] Krichever, I.M.: Algebraic-geometric construction of Zakharov-Shabat equations and their periodic solutions, *Sov. Math., Dokl.*, 17, 394-397 (1976).
- [123] Kruskal, M.D., Miura, R.M., Gardner, C.S. and Zabusky, N.J.: Korteweg-de Vries equation and generalizations V. Uniqueness and nonexistence of polynomial conservation laws, *J. Math. Phys.*, 11, 952-960 (1970).
- [124] Lagrange, J.L.: Mécanique analytique. Oeuvres de Lagrange, Serret J.A. [Darboux G.] eds., t. 11, Gauthier-Villars, Paris, 1888.
- [125] Landau, L.D. and Lifshitz, E.M.: On the theory of the dispersion of magnetic permeability in ferromagnetic bodies, *Phys. Zeitsch. der Sow.*, 8, 153-169 (1935).
- [126] Lang, S.: Elliptic Functions. Springer-Verlag, New York, 1987.
- [127] Lax, P.: Integrals of nonlinear equations of evolution and solitary waves, *Comm. Pure Appl. Math.*, 21, 467-490 (1968).

- [128] Lax, P.: Periodic solutions of the KdV equation, *Comm. Pure Appl. Math.*, 28, 141-188 (1975).
- [129] Lax, P. and Phillips, R.: Scattering theory for automorphic functions. Annals Math. Studies, Princeton, 1976.
- [130] Lesfari, A.: Une approche systématique à la résolution du corps solide de Kowalewski, *C. R. Acad. Sc. Paris*, 302(I), 347-350 (1986).
- [131] Lesfari, A.: Abelian surfaces and Kowalewski's top, *Ann. Scient. École Norm. Sup.*, Paris, 4^e série, t.21, 193-223 (1988).
- [132] Lesfari, A.: Completely integrable systems : Jacobi's heritage, *J. Geom. Phys.*, 31, 265-286 (1999).
- [133] Lesfari, A.: Geodesic flow on $SO(4)$, Kac-Moody Lie algebra and singularities in the complex t-plane, *Publ. Mat.*, 43(1), 261-279 (1999),.
- [134] Lesfari, A.: The problem of the motion of a solid in an ideal fluid. Integration of the Clebsch's case, *NoDEA Nonlinear Differential Equations Appl.*, 8(1), 1-13 (2001).
- [135] Lesfari, A.: The generalized Hénon-Heiles system, Abelian surfaces and algebraic complete integrability, *Rep. Math. Phys.*, 47, 9-20 (2001).
- [136] Lesfari, A.: The complex geometry of an integrable system, *Arch. Math. (Brno)*, t.39, 257-270 (2003).
- [137] Lesfari, A.: Le système différentiel de Hénon-Heiles et les variétés Prym, *Pacific J. Math.*, 212(1), 125-132 (2003).
- [138] Lesfari, A. : Analyse des singularités de quelques systèmes intégrables, *C. R. Acad. Sci. Paris*, Ser. I 341 (2005).
- [139] Lesfari, A. : Integrables Hamiltonian systems and the isospectral deformation method, *Int. J. of Appl. Math. And Mech.*, 3, 4, 35-55 (2007).
- [140] Lesfari, A.: Abelian varieties, surfaces of general type and integrable systems, *Beiträge Algebra Geom.*, 48(1), 95-114 (2007).

- [141] Lesfari, A. : Etude des solutions méromorphes d'équations différentielles, *Ren. Semin. Mat. Univ. Politec. Torino*, 65(4), 451-464 (2007).
- [142] Lesfari, A.: Prym varieties and applications, *J. Geom. Phys.*, 58, 1063-1079 (2008).
- [143] Lesfari, A.: Affine parts of abelian surfaces as complete intersection of three quartics, *Int. Electron. J. Geom.*, 1(2), 15-32 (2008).
- [144] Lesfari, A.: Cyclic coverings of abelian varieties and the generalized Yang Mills system for a field with gauge groupe $SU(2)$, *Int. J. Geom. Methods Mod. Phys.*, 5(6), 947-961 (2008).
- [145] Lesfari, A.: Fonctions et intégrales elliptiques, *Surv. Math. Appl.*, 3, 27-65 (2008).
- [146] Lesfari, A.: Integrable systems and complex geometry, *Lobachevskii J. Math.*, 30(4), 292-326 (2009).
- [147] Lesfari, A.: Théorie spectrale et problèmes non-linéaires, *Surv. Math. Appl.*, 5, 151-190 (2010).
- [148] Lesfari, A. : Systèmes hamiltoniens complètement intégrables, *Aequat. Math.*, Vol. 82, 165-200 (2011).
- [149] Lesfari, A.: Algebraic integrability : the Adler-van Moerbeke approach, *Regul. Chaotic Dyn.*, 16(3-4), 187-209 (2011).
- [150] Lesfari, A.: Algèbres de Lie affines et opérateurs pseudo-différentiels d'ordre infini, *Math. Rep.*, 14(64), No.1, 43-69 (2012).
- [151] Lesfari, A.: Etude des équations stationnaire de Schrödinger, intégrale de Gelfand-Levitan et de Korteweg-de-Vries. Solitons et méthode de la diffusion inverse, *Aequat. Math.*, Vol. 85, 243-272 (2013).
- [152] Lesfari, A.: Etude du théorème de plongement de Kodaira, *An. Univ. Vest Timis. Ser. Mat.-Inform.*, LI, 1, 75-90 (2013).
- [153] Lesfari, A.: Rotation d'un corps solide autour d'un point fixe, *Rend. Sem. Mat. Univ. Pol. Torino*, 72(1-2), 255-284 (2014).

- [154] Lesfari, A.: The Hénon-Heiles system as part of an integrable system, *J. Adv. Res. Dyn. Control Syst.*, 6(3), 24-31 (2014).
- [155] Lesfari, A.: Variables complexes (Cours et exercices corrigés). Éditions Ellipses, Paris, 2014.
- [156] Lesfari, A.: Systèmes dynamiques algébriquement complètement intégrables et géométrie, *An. Univ. Vest Timis. Ser. Mat.-Inform.*, LIII, 1, 109-136 (2015).
- [157] Lesfari, A.: Champ de Yang-Mills avec groupe de jauge $SU(2)$ (Yang-Mills field with $SU(2)$ as gauge group), *Math. Rep.*, 17(67), 1, 133-153 (2015).
- [158] Lesfari, A.: Géométrie et intégrabilité algébrique, *Rend. Mat. Appl.*, (7) 36, 1-2, 27-76 (2015).
- [159] Lesfari, A.: Introduction à la géométrie algébrique complexe. Éditions Hermann, Paris, 2015.
- [160] Lesfari, A.: Some fundamental properties of complex geometry, *Beiträge Algebra Geom.*, 57, 207-220 (2016).
- [161] Lesfari, A.: Etude géométrique et topologique du flot géodésique sur le groupe des rotations, *Surv. Math. Appl.*, 11, 107-134 (2016).
- [162] Lesfari, A.: Adjunction formula, Poincaré residue and holomorphic differentials on Riemann surfaces, *Methods Funct. Anal. Topology*, to appear (2018).
- [163] Lesfari, A.: Normally generated line bundle and Laurent series solutions of nonlinear differential equations, *J. Dyn. Syst. Geom. Theor.*, to appear (2018).
- [164] Lesfari, A.: Éléments de géométrie différentielle (Cours et exercices corrigés). Éditions Ellipses, Paris, 2018.
- [165] Levinson, N.: The inverse Sturm-Liouville problem, *Mat. Tidsskr. B.*, 25-30 (1949).
- [166] Libermann, P. and Marle, C.-M. : Symplectic geometry and analytical mechanics. D. Reidel, Dordrecht, 1987.

- [167] Liouville, J.: Note sur l'intégration des équations différentielles de la dynamique, présentée au bureau des longitudes le 29 juin 1853. *J. Math. Pures Appl.* 20, 137-138 (1855).
- [168] Liouville, R.: Sur le mouvement d'un corps solide pesant suspendu par l'un de ses points, *Acta Math.*, tome XX, 239-284 (1896).
- [169] Lyapunov, A.: On a property of the differential equations of the problem of motion of a rigid body having a fixed point, *Soobshcheniya Kharkovskogo matematicheskog obshchestva (Transactions of the Kharkov Mathematical Society)*, Vol. IV (1894) and Reports of Kharkov. Math. Soc. Ser. 2, 4, No 1-2, 81-85 (1893), *Gesammelte Werke*, Vol.1, 320-324.
- [170] Manakov, S. V.: Remarks on the Integrals of the Euler Equations of the n -Dimensional Heavy Top, *Fund. Anal. Appl.*, 10 (4), 93-94 (1976).
- [171] Mc Kean, H.P. and van Moerbeke, P.: The Spectrum of Hill's Equation, *Invent. Math.*, 30, 217-274 (1975).
- [172] Mc Kean, H.P. and Trubowitz, E.: Hill's operator and hyperelliptic function theory in the presence of infinitely many branch points, *Comm. Pure. Appl. Math.*, 29, 143-226 (1976).
- [173] Mishchenko, A. S.: Integral Geodesies of a Flow on Lie Groups, *Fund. Anal. Appl.*, 4 (4), 73-77 (1970).
- [174] Mishchenko, A. S. and Fomenko, A. T.: Euler Equations on Finite-Dimensional Lie Groups, *Izv. Akad. Nauk SSSR Ser. Mat.*, 42, 396-415 (1978).
- [175] Miura, R.M., Gardner, C.S. and Kruskal, M.D.: Korteweg-de Vries equation and generalizations II. Existence of conservation laws and constants of motion, *J. Math. Phys.*, 9, 1204-1209 (1968).
- [176] Moishezon, B.G.: On n -dimensional compact varieties with n algebraically independent meromorphic functions, *Amer. Math. Soc. Transl.*, 63, 51-177 (1967).
- [177] Moser, J.K.: On the volume elements on a manifold, *Trans. Amer. Math. Soc.*, 120, 286-294 (1965).

- [178] Moser, J.: Three integrable Hamiltonian systems connected with isospectral deformations, *Adv. Math.*, 16, 197-219 (1975).
- [179] Moser, J.: Various Aspects of Integrable Hamiltonian Systems. In: Guckenheimer J., Moser J., and Newhouse S. E., *Dynamical Systems*, O.I.M.E. Lectures, Bressanone, Italy, June 1978, *Progr. Math.* 8, Birkhäuser, Boston, 233-289, 1980.
- [180] Moser, J.: Geometry of quadrics and spectral theory. Lecture delivered at the symposium in honor of S.S. Chern, Berkeley, 1979. Springer, Berlin, Heidelberg, New-York? 1980.
- [181] Muir, T.: A treatise on the theory of determinants. Dover books on advanced mathematics, Dover Publications, 1960.
- [182] Mumford, D.: On the equations defining Abelian varieties I, II, III, *Invent. Math.*, 1, 287-354 (1966), 3, 75-135 (1967), 3, 215-244 (1967).
- [183] Mumford, D.: Varieties defined by quadratic equations, in : Questions on Algebraic Varieties. CIME, Roma, 29-94, 1970.
- [184] Mumford, D.: Prym varieties I, in *Contributions to Analysis* (L.V. Ahlfors, I. Kra, B. Maskit, L. Niremberg, eds.). Academic Press, New-York, 325-350, 1974.
- [185] Mumford, D.: Abelian varieties. Oxford University press, 1974.
- [186] Mumford, D.: Algebraic geometry I: complex projective varieties. Springer-Verlag, Berlin, Heidelberg, New-York? 1975.
- [187] Mumford, D.: Tata lectures on theta I, II. *Progress in Math.*, Birkhäuser, Boston, 1983.
- [188] Nahm, W.: All self-dual multi-monopoles for all gauge groups. CERNTH- 3172, Sep 1981. 10pp. Presented at Int. Summer Inst. on Theoretical Physics, Freiburg, West Germany, Aug 31 - Sep 11, 1981.
- [189] Neumann, C.: De problemate quodam mechanics, quod ad primam integralium ultraellipticorum classem revocatur, *J. Reine Angew. Math. (Crelles journal)*, 56, 46-63 (1859).

- [190] Novikov, S.P.: The periodic problem for Korteweg-de Vries equation, *Funct. Anal. Pril.*, 8, 53-66 (1974).
- [191] Ohbuchi, A.: A note on the projective normality of special line bundles on abelian varieties, *Tsukuba J. Math.* 12(2), 341-352 (1988).
- [192] Painlevé, P.: Sur les équations différentielles du second ordre et d'ordre supérieur dont l'intégrale générale est uniforme, *Acta Math.*, 25(1), 1-85 (1902).
- [193] Painlevé, P.: Oeuvres, tomes 1,2,3. Édition du C.N.R.S., 1975.
- [194] Perelomov, A.M.: Lax representation for the systems of S. Kowalewski type, *Commun. Math. Phys.*, 81, 239-241 (1981)
- [195] Perelomov, A.M.: Integrable systems of classical mechanics and Lie algebras. Birkhäuser Verlag, Basel,1990.
- [196] Piovan, L.: Cyclic coverings of Abelian varieties and the Goryachev-Chaplygin top, *Math. Ann.*, 294, 755-764 (1992).
- [197] Poincaré, H.: Leçons de mécanique céleste, 3 tomes. Gauthier-Villars, 1905-1910, réédité par Jacques Gabay, Paris 2003.
- [198] Poinsoot, L.: Théorie nouvelle de la rotation des corps, *Journal de Liouville*, Volume 16, (1851).
- [199] Ramanan, S.: Ample divisors on abelian surfaces, *Proc. London Math. Soc.*, 51, 231-245 (1985).
- [200] Ramani, A., Dorozzi, B. and Grammaticos, B. : Painlevé conjecture revisited, *Phys. Rev. Lett.*, 49, 1539-1541 (1982).
- [201] Ratiu, T.: The motion of the free n-dimensional rigid body, *Indiana Univ. Math. J.*, 24, 609-629 (1980).
- [202] Ratiu, T.: Euler-Poisson Equations on Lie Algebras and the N-dimensional Heavy Rigid Body, *Amer. J. Math.*, 104,409-448 (1982).
- [203] Ratiu, T. and van Moerbeke, P.: The Lagrange Rigid Body Motion, *Ann. Inst. Fourier*, 32 (1), 211-234 (1982).

- [204] Ravoson, V., Gavrilov, L. and Caboz, R.: Separability and Lax pairs for Hénon-Heiles system, *J. Math. Phys.*, 34, 2385-2393 (1993).
- [205] Ravoson, V., Ramani, A. and Grammaticos, B.: Generalized separability for a Hamiltonian with nonseparable quartic potential, *Phys. Lett.*, 191A, 91-95 (1994).
- [206] Robert, A.: Introduction aux variétés abéliennes complexes, *Enseign. Math. (2)*, Sér.28, 281-293 (1982).
- [207] Sato, M.: Soliton equations and the universal Grassmann manifold (by Noumi in Japanese). Math. Lect. Note Ser. 18. Sophia University, Tokyo, 1984.
- [208] Sato, M.: The KP hierarchy and infinite-dimensional Grassmann manifolds, *Proc. of Sympos. Pure Math.*, 49, 51-66 (1989).
- [209] Sato, M. and Sato, Y.: Soliton equations as dynamical systems on infinite dimensional Grassmann manifolds, *Lect. Notes in Num. Appl. Anal.*, 5, 259-271 (1982).
- [210] Scott-Russell, J.: Report on Waves. Report to the 14th meeting British Association for Advancement of Science pp. 311-390, 1844.
- [211] Serre, J.-P. : Géométrie algébrique et géométrie analytique, *Ann. Inst. Fourier*, 6, 1-42 (1956).
- [212] Shiota, T.: Characterization of jacobian varieties in terms of soliton equations, *Invent. Math.*, 83, 333-382 (1986).
- [213] Siegel, C.L.: Meromorphic funktionen anf kompakten mannigfaltigkeiten, *Nachrichten der Akademie der Wissenschaften in Göttingen, Math.-Phys. Klasse 4*, 71-77 (1955).
- [214] Siegel, C.L.: Topics in complex function theory. Volume I, II and III, Wiley-Interscience, 1969, 1971 and 1973.
- [215] Silverman, J. H.: Advanced Topics in the Arithmetic of Elliptic Curves. Springer-Verlag, GTM 151, 1995.
- [216] Smirnov, A.O.: Finite-gap elliptic solutions of the KdV equation, *Acta Appl. Math.*, 36, 125-199 (1994).

- [217] Souriau, J.-M. : Structure des systèmes dynamiques. Dunod, 1970.
- [218] Steklov, V.A.: Über die Bewegung eines festen Körper in einer Flüssigkeit, *Math. Ann.*, 42, 273-374 (1893).
- [219] Steklov, V.A.: A certain case of motion of a heavy rigid body having a fixed point, *Trudy Otdel. Fiz. Nauk. Obsh. Lyubit. Estestvozn.*, 8(2), 19-21 (1896).
- [220] Springer, G. : Introduction to Riemann surfaces. Addison-Wesley, Reading(Mass.), 1957, 2nd ed., Chelsea, New York, 1981, American Mathematical Society (AMS), 2002.
- [221] Symes, W.: Systems of Toda type, inverse spectral problems and representation theory, *Invent. Math.*, 59, 13-53 (1980).
- [222] Teschil, G.: Jacobi operators and completely integrable nonlinear lattices. Mathematical Surveys and Monographs Volume 72, 2000.
- [223] Toda, M.: Wave propagation in anharmonic lattices, *J. Phys. Soc. of Japan*, 23, 501-506 (1967).
- [224] Tondo, G.: On the integrability of stationary and restricted flows of the KdV hierarchy, *J. Phys. A: Mat. Gen.*, 28, 5097-5115 (1995).
- [225] Vanhaecke, P.: Linearising two-dimensional integrable systems and the construction of action-angle variables, *Math. Z.*, 211, 265-313 (1992).
- [226] Vanhaecke, P.: Stratifications of hyperelliptic Jacobians and the Sato Grassmannian, *Acta Appl. Math.*, 40, 143-172 (1995).
- [227] Vanhaecke, P.: Integrable systems and symmetric products of curves, *Math. Z.*, 227, 93-127 (1998).
- [228] Vanhaecke, P.: Integrable systems in the realm of algebraic geometry. Lecture Notes in Math., 1638, Springer-Verlag, Berlin, 2001.
- [229] van Moerbeke, P.: The spectrum of Jacobi matrices, *Invent. Math.*, 37, 45-81 (1976).

- [230] van Moerbeke, P.: Algebraic complete integrability of Hamiltonian systems and Kac-Moody Lie algebras. Proc. Int. Congr. of Math., Warszawa, august, 1983.
- [231] van Moerbeke, P.: Algebraic geometrical methods in Hamiltonian mechanics, *Phil. Trans. Royal Society Lond.*, A315, 379-390 (1985). (Royal Society Meeting, Nov. 1984).
- [232] van Moerbeke, P. : Introduction to algebraic integrable systems and their Painlevé analysis. Theta functions-Bowdoin 1987, Part 1 (Brunswick, ME, 1987), 107-131, *Proc. Sympos. Pure Math.* 49, Part 1, Amer. Math. Soc., Providence, RI, 1989.
- [233] van Moerbeke, P. : Integrable foundations of string theory in Lectures on Integrable Systems (Sophia-Antipolis, 1991). World Sci., River Edge, N.J., 163-267, 1994.
- [234] van Moerbeke, P. and Mumford, D.: The spectrum of difference operators and algebraic curves, *Acta Math.*, 143, 93-154 (1979).
- [235] Verhoeven, C. Musette, M. and Conte, R.: General solution of Hamiltonians with extend cubic and quartic potentials, *Theor. Math. Phys.*, 134, 128-138 (2003).
- [236] Weil, A.: Euler and the Jacobians of Elliptic Curves. Progress in Math., 36, 353-359, Birkhauser Boston, Inc., 1983.
- [237] Wadati, M. and Toda, M.: The exact N-soliton solution of the Korteweg-de Vries equation, *J. Phys. Soc. Japan*, 32, 1403-1411 (1972).
- [238] Weinstein, A.: Symplectic manifolds and their lagrangian submanifolds, *Adv. in Math.*, 6, 329-346 (1971).
- [239] Weinstein, A. : Lectures on symplectic manifolds. CBMS Regional Conference Series in Mathematics, No. 29, American Mathematical Society, 1977.
- [240] Weinstein, A. : The local structure of Poisson manifolds, *J. Diff. Geom.*, 18, 523-557 (1983).

- [241] Whittaker, E. T.: A treatise on the analytical dynamics of particles and rigid bodies. Cambridge Mathematical Library. Cambridge University Press, Cambridge, 1988. With an introduction to the problem of three bodies, Reprint of the 1937 edition, With a foreword by W. McCrea.
- [242] Wojciechowski, S.: On a Lax-type representation and separability of the anisotropic harmonic oscillator in a radial quartic potential, *Lett. Nuovo Cimento*, 41, 361-369 (1984).
- [243] Wojciechowski, S.: Integrability of one particle in a perturbed central quartic potential, *Physica Scripta*, 31, 433-438 (1985).
- [244] Yoshida, H.: Necessary condition for the existence of algebraic first integrals I, *Celestial Mech.*, 31, 363-379 (1983).
- [245] Yoshida, H.: Necessary condition for the existence of algebraic first integrals II, *Celestial Mech.*, 31, 381-399 (1983).
- [246] Zakharov, V.E., Manakov, S.V., Novikov, S.P. and Pitaevskii, L.P.: Soliton theory, inverse scattering method. Moscow: Nauka, 1980.
- [247] Ziglin, S.L.: Bifurcation of solutions and the nonexistence of first integrals in Hamiltonian mechanics. I. *Funktsional. Anal. i Prilozhen.*, 16(3):30-41, 96, 1982.
- [248] Ziglin, S.L.: Bifurcation of solutions and the nonexistence of first integrals in Hamiltonian mechanics. II. *Funkts. Anal. Priloz.*, 17(1), 8-23, 1983.

Index

- $\tau(t)$ function, 403
- n -dimensional rigid body, 175

- Abel theorem, 457
- Abelian differential, 454
- Abelian variety, 461
- action, 412
- action-variables, 85
- addition theorem, 457
- adjoint orbit, 66
- adjoint representation, 66
- adjoint wave function, 401
- adjunction formula, 462, 484
- Adler-Kostant-Symes theorem, 117
- algebra \mathcal{W} , 390
- algebra of differential operators, 385
- algebraic integrable system, 185
- algebraic integrable system in the generalized sense, 297
- ample divisor, 462
- amplitude, 446
- angle-variables, 85
- Arnold-Liouville theorem, 77

- Baker-Akhiezer function, 140, 400, 519

- Bobylev-Steklov top, 106
- Boussinesq equation, 392

- Calogero-Moser system, 140
- Camassa-Holm equation, 518

- canonical basis, 32
- canonical divisor, 462
- canonical form, 37
- canonical transformation, 420
- Cartan homotopy formula, 27
- Casimir functions, 86
- Cauchy problem, 177
- central element, 393
- Clebsch's case, 107
- coadjoint orbit, 67
- coadjoint representation, 67
- cocycle, 393
- coisotropic subspace, 33
- compact Riemann surface, 453
- completely integrable system, 85
- complex algebraic curve, 453
- constant of motion, 51

- Darboux's theorem, 44
- degree of a divisor, 456
- degree of a polarization, 468
- differential form, 454
- divisor, 456, 459
- divisors linearly equivalent, 457
- doubly periodic, 436
- dual Abelian variety, 466

- effective divisor, 457
- Eisenstein series, 439
- elliptic curve, 454
- elliptic function, 436

- elliptic integral, 444
- equations integrable by quadratures, 78
- Euler differential equation, 99
- Euler equation, 414
- Euler equations, 195
- Euler equations (rigid body dynamics), 58, 90, 123
- Euler-Arnold equations, 122, 125
- Euler-Lagrange equation, 414
- Euler-Poincaré characteristic, 462
- even half period, 503
- even theta function, 503
- extremal, 414

- Fay differential identity, 403
- Fay identity, 403
- first Chern class, 468
- first integral, 51
- fixed singularity, 178
- Flaschka variables, 167
- flow, 20
- Fréchet derivative, 394
- functions commute, 51
- functions in involution, 51
- fundamental parallelogram, 436

- Gelfand Dickey reduction, 388
- generalized periodic Toda systems, 292
- generating function, 422
- genus, 453
- geodesic, 414
- geodesic flow on $SO(4)$, 59
- geodesic flow on $SO(n)$, 122, 277
- Goryachev-Chaplygin top, 106, 146, 330
- Griffiths theorem, 165
- Gross-Neveu system, 294

- Hénon-Heiles equations, 57, 222, 319
- half period, 503
- Hamilton's canonical equations, 57, 418
- Hamilton-Jacobi equation, 424
- Hamiltonian, 47, 418
- Hamiltonian variety, 50
- harmonic oscillator, 63, 86, 429
- Heisenberg algebra, 57, 392, 394
- Heisenberg subalgebra, 394
- Hesse-Appel'rot top, 105
- Hirota bilinear equations, 408
- Hirota symbol, 407
- holomorphic differential, 454
- hyperelliptic curve, 454

- inner product, 23
- isogenous Abelian varieties, 466
- isogeny, 466
- isospectral deformation, 117
- isotropic subspace, 33

- Jacobi elliptic function, 446
- Jacobi geodesic flow on an ellipsoid, 132
- Jacobi inversion problem, 458
- Jacobi matrices, 147
- Jacobian variety, 469, 470

- Kähler variety, 465
- Kac-van Moerbeke lattice, 291
- KdV equation, 348
- Kepler problem, 431
- Kirchhoff equations, 61, 106
- Kodaira theorem, 460
- Kodaira vanishing theorem, 462
- Kodaira-Serre duality, 462
- Kolosof potential, 295

- Kostant-Kirillov orbit, 67
 Kowalewski matrix, 180
 Kowalewski top, 60, 96, 144, 240
 KP equation, 399
 KP hierarchy, 397

 Lagrange equation, 414
 Lagrange top, 95, 134, 172, 336
 Lagrangian, 52, 412, 418
 Lagrangian section, 39
 Lagrangian submanifold, 38
 Lagrangian subspace, 33
 Lamé potential, 142
 Landau-Lifshitz equation, 521
 Lax equation, 115
 Lax pair, 115
 left translation, 64
 Legendre canonical forms, 444
 Legendre transformation, 415
 Levi-Civita symbol, 173
 Lie bracket, 26
 Lie derivative, 22
 Liouville form, 37
 Liouville-Arnold-Adler-van Moerbeke theorem, 191
 Liouville-integrable system, 85
 Lyapunov-Steklov's case, 109

 Manakov geodesic flow, 124, 262
 Mittag-Leffler problem, 163
 mobile singularity, 178
 module, 446
 Moser's lemma, 43

 Nahm's equations, 173
 Neumann problem, 133
 Noether theorem, 52
 nonlinear Schrödinger equations, 143

 normal order, 386
 normally generated, 463
 Novikov equation, 141

 odd half period, 503
 odd theta function, 503
 orientable manifold, 37
 orthogonal, 33

 Painlevé) divisor, 185
 period matrix, 455
 phase space, 57
 Picard group, 465
 Poincaré lemma, 31
 Poincaré residue, 454, 486
 Poincaré-Cartan invariant, 422
 Poisson bracket, 50
 Poisson manifold, 50
 Poisson structure, 50
 Poisson theorem, 51
 polarization, 461, 468
 positive divisor, 457
 principal divisor, 456
 principal polarization, 461, 468
 projectively normal, 463
 Prym variety, 477, 479
 pseudo-differential operator, 385

 quasi-periods, 502

 RDG integrable potential, 301, 324
 Riemann bilinear relations, 455
 Riemann theorem, 514
 Riemann theta function, 501
 Riemann-Hurwitz formula, 457
 Riemann-Roch theorem, 457
 right translation, 64

 Schrödinger equations (nonlinear), 143

- Schur polynomials, 406
- Siegel half-space, 408
- simple pendulum, 448
- sine-Gordon equation, 522
- special divisor, 515
- special orthogonal group, 69
- spectral curve, 116
- spectral parameter, 115
- symplectic basis, 32, 454
- symplectic diffeomorphism, 39
- symplectic form, 32, 33
- symplectic manifold, 33
- symplectic morphism, 39
- symplectic structure, 32, 33
- symplectic subspace, 33
- symplectic vector space, 32
- symplectomorphism, 39
- system of Lagrange equations, 52

- theta divisor, 514
- theta function with characteristics, 502
- Toda lattice, 167
- torus, 436
- trivial invariants, 86

- variational problem, 412
- vertex operator, 405
- very ample divisor, 462
- Virasoro algebra, 394, 395
- Virasoro structure, 396
- Volterra group, 386
- volume form, 37

- wave function, 400
- wave operator, 399
- Weierstrass \wp function, 438
- Weierstrass invariants, 439
- Weierstrass sigma function, 443

- Weierstrass zeta function, 441
- Weierstrass's elliptic integral, 440
- weight-homogeneous system, 179

- Yang-Mills equations, 143, 338
- Yang-Mills field, 110